(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 3 January 2002 (03.01.2002)

PCT

(10) International Publication Number WO 02/00820 A1

(51) International Patent Classification?: 1/94, 3/48

C11D 17/04,

(21) International Application Number: PCT/US01/41040

(22) International Filing Date: 20 June 2001 (20.06.2001)

(25) Filing Language:

ţ,

English

(26) Publication Language:

English

(30) Priority Data: 60/213,584

23 June 2000 (23.06.2000) US

(71) Applicant: COMBE INTERNATIONAL LTD. [US/US]; 1101 Westchester Avenue, White Plains, NY 10604 (US).

(72) Inventor: LAPIDUS, Herbert; 46 Nutmeg Ridge, Ridge-field, CT 06877 (US).


(74) Agents: HOLOWACZ, Elizabeth, F. et al.; Fitzpatrick, Cella, Harper & Scinto, 30 Rockfeller Plaza, New York, NY 10112-3801 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

[Continued on next page]

(54) Title: STABLE FOAM FOR USE IN DISPOSABLE WIPE



(57) Abstract: An aqueous stable foam, suitable for use as a vaginal or hemorrhoidal wipe agent, containing at least one surfactant and at least one foam stabilizing agent can be dispensed to bathroom tissue or the like for application to the vaginal or anal area.

BEST AVAILABLE COPY

IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

- 1 -

TITLE

STABLE FOAM FOR USE IN DISPOSABLE WIPE

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates generally to a disposable vaginal or hemorrhoidal wipe product. In particular, the present invention relates to an aqueous stable foam containing a surfactant which can be dispensed to bathroom tissue or the like for application to the vaginal or anal area.

10 Background

Conventional vaginal or hemorrhoidal wipe products are typically in the form of pre-wetted, non-flushable cloths or pads. Because these products are pre-wetted

- 2 -

with a volatile wiping agent, it is necessary to package and store these products in sealed containers, jars, foil packets or the like in order to maintain moisture by reducing evaporation of the wiping agent.

5 For example, Tucks brand hemorrhoidal wipes are typically stored in a screw-top jar. Due to the nature of conventional vaginal and/or hemorrhoidal wipe products and their storage requisites, a number of problems arise.

10

used.

First, containers, jars, foil packets and the like, which are capable of storing a volatile wiping agent such as isopropyl alcohol, witch hazel, water or perfume, useful as a vaginal and/or hemorrhoidal wipe, 15 are expensive. Second, there is no precise control over the amount of wiping agent dispensed with each pre-wetted cloth or pad, thereby leading to waste of the wiping agent. Third, the pre-wetted cloths or pads are not readily disposable, i.e., they are not 20 biodegradable and can not or should not be flushed in a toilet. Fourth, the need for bulky storage containers, jars, foil packets and the like precludes portability of vaginal and/or hemorrhoidal wipe products and/or hinders their disposal. Finally, wipe products that 25 are stored in conventional jars or dispensing wipe packets typically dry out before all of the wipes are

Hence, it is clear that there is a need for a readily disposable vaginal and/or hemorrhoidal wipe product which addresses the above-described problems.

- 3 -

SUMMARY OF THE INVENTION

The present invention is directed to a propellant-free foamable aqueous composition capable of forming a stable foam suitable for use as a vaginal or hemorrhoidal wipe agent comprising (a) water; (b) at least one surfactant; and (c) at least one foam stabilizing agent.

The present invention is also directed to a system for delivering a foam suitable for use as a vaginal or hemorrhoidal wipe agent, which comprises a propellantless dispenser containing the propellant-free foamable aqueous composition according to the present invention.

The present invention is also directed to a stable foam suitable for use as a vaginal or hemorrhoidal wipe agent formed by dispensing from a propellantless

20 dispenser the propellant-free foamable aqueous composition according to the present invention.

The present invention is also directed to a vaginal or hemorrhoidal wipe product comprising the stable foam of the present invention disposed on bathroom tissue.

Still further, the present invention includes a foam wipe kit comprising (a) a propellantless finger actuated mechanical pump dispenser containing a propellant-free foamable aqueous composition capable of forming a stable foam on dispensing; and (b) a

_ 4 _

disposable substrate, such as bathroom tissue, for receiving the stable foam.

BRIEF DESCRIPTION OF THE DRAWINGS

5

Figure 1 is a schematic diagram of the F2 Finger Pump FoamerTM suitable for use in the present invention.

DETAILED DESCRIPTION

10

The present invention is directed to a readily disposable vaginal or hemorrhoidal wipe product. As used herein, the terms "wipe product" and "wiping agent" are used interchangeably with "cleansing product" and "cleansing agent". In particular, the present invention relates to an aqueous stable foam containing at least one surfactant and at least one foam stabilizing agent which can be dispensed to bathroom tissue or the like for application to the vaginal or perineal area.

One of the advantages of such a foam is that a disposable vaginal or hemorrhoidal wipe product is achieved without the use of a foil packet, a Tucks

25 brand jar or a diaper wipe container. Advantageously, a desired amount of foam may be applied and removed using several pieces of bathroom tissue, which is readily available, biodegradable and easily flushed. As employed herein, bathroom tissue includes toilet

30 paper or any other natural or synthetic product, such as Kleenex brand tissue, generally present in bathrooms

or rest areas for sanitary or other purposes.

The foam of the present invention is stable. For purposes of this invention, a stable foam may be generally defined as a non-irritating dry, relatively firm foam with low solids content which forms foam

5 bubbles with a low contact angle with bathroom tissue and which maintains the integrity of the bathroom tissue. A relatively low concentration of skin-compatible surfactants and water soluble foam stabilizers present in the wipe agent of the present invention produces a high void-containing or light density foam which barely, if at all, wets the bathroom tissue so that the tissue maintains its integrity during application of the wipe agent composition to the anal and/or vaginal mucosal surfaces.

15

In other words, the foam remains for an extended period of time, unless and until applied onto a surface with pressure such as by rubbing and/or with increasing temperature. The pressure and/or increased temperature causes the foam to collapse, thus making the wipe agent(s) available to clean and/or medicate the tissues so treated. As a result, the present foam can be applied to bathroom tissue or like substrate, without being absorbed by such. The foam-carrying substrate can then be applied to the vaginal or anal area.

In one embodiment, the present invention is directed to a propellant-free foamable aqueous composition capable of forming a stable foam suitable for use as a vaginal or hemorrhoidal wipe agent. This aqueous composition is charged into a propellantless foam dispenser to form

the foam of the present invention for use in a vaginal or hemorrhoidal wipe product.

The propellant-free foamable aqueous composition of the present invention comprises water, at least one surfactant and at least one foam stabilizing agent.

Water, preferably deionized water, is typically present in the propellant-free foamable aqueous composition in an amount from about 70% to about 98% by weight, preferably from about 80% to about 98% by weight, and most preferably about 90% by weight. Unless otherwise indicated, all ingredient weight % are based on the total weight of the propellant-free foamable aqueous composition.

In general, in order to provide an enhanced stable foam according to the present invention, water-soluble compounds are preferably employed. Such compounds are storage stable and readily dispensed by a propellantless mechanical pump.

Any type of compatible surfactant, e.g., nonionic, anionic, amphoteric, suitable for use in human hygienic products is suitable for use in the present invention. The surfactant should be capable of forming a foam when mixed with air in a finger actuated, mechanical pump foamer. Such surfactants include, without limitation, those which do not irritate mucous membranes such as polyethylene 20 cetyl ether (Brij 58)TM, a nonionic surfactant; sodium lauroyl sarcosinate (Hamposyl L-30)TM, sodium lauryl sulfoacetate (Lathanol LAL)TM and

sodium laureth sulfate (Sipon ESY)™ - anionic surfactants; lauramidopropyl betaine (Monateric LMAB)™, an amphoteric surfactant, as well as polysorbate 20, TEA-cocoyl glutamate, disodium cocoamphodiacetate and combinations thereof. Typically, the surfactant is present in the instant invention in an amount from about 2% to about 35% by weight, and preferably from about 5% to about 15% by weight.

10 According to a preferred embodiment of the present invention, a blend of Tween 20, Amisoft CT-12 and Monateric CDX 38 Mod. (polysorbate 20, TEA-cocoyl glutamate, disodium cocoamphodiacetate, respectively) is employed. In this embodiment, Tween 20 is present in an amount ranging from about 0.1% to about 2%, preferably about 1%; Amisoft is present in an amount ranging from about 1% to about 15%, preferably about 5%; and Monateric is present in an amount ranging from about 1% to about 5%.

20

30 4%.

At least one foam stabilizing agent is also present in the foamable aqueous composition of the present invention. Suitable foam stabilizing agents include, without limitation, natural or synthetic gums such as xanthan gum, polyalkylene glycols such as polyethylene glycol, alkylene polyols such as glycerine and propylene glycol and combinations thereof. Typically, the foam stabilizers are present in an amount from about 0.10% to about 5%, preferably about 2% to about

In general, alkylene polyols are typically employed in amounts from about 0.1% to about 10%, preferably from about 3% to about 5%; gums are employed in amounts ranging from about 0.05% to about 1%, preferably from about 0.05% to about 0.15%; and/or polyalkylene glycols are present in amounts ranging from about 0.05% to about 2%.

Preservatives may also be present in the foamable

aqueous composition of the present invention. Suitable
preservatives include, without limitation,
methylparaben, propylparaben, Glydant Plus (DMDM
hydantoin and iodopropynyl butylcarbamate) and
combinations thereof. Typically, preservatives are

present in an amount from about 0.10% to about 1%,
preferably from about 0.40% to about 0.60%, and most
preferably about 0.50%.

In certain embodiments of the present invention, namely
the foamable aqueous composition suitable for use in a
hemorrhoidal wipe product, water soluble medicaments
may also be present. Suitable medicaments include,
without limitation, pramoxine HCl, phenylephrine HCl,
ephedrine sulfate, dibucaine HCl and combinations
thereof. Typically, such medicaments are present in
conventional amounts.

Other constituents normally found in vaginal or hemorrhoidal wipe products may be present in the foamable aqueous composition of the present invention, if desired. Such constituents typically include, but are not limited to, lubricants such as Cetiol HE (PEG-7

-9-

glyceryl cocoate), chelating agents such as disodium EDTA, moisturizers such as aloe powder, healing agents such as vitamin E acetate (tocopherol acetate), fragrance, color and mixtures thereof.

5

One of ordinary skill in the art would readily appreciate that a particular ingredient may serve more than one function in the foamable aqueous composition of the present invention. For example, disodium cocoamphodiacetate functions not only as a surfactant but also as a foam stabilizer.

Another embodiment of the present invention is a system for delivering a foam suitable for use in a vaginal or hemorrhoidal wipe product comprising a propellantless dispenser containing a propellant-free foamable aqueous composition of the invention. Yet another embodiment of the present invention is a stable foam formed by dispensing from a propellantless dispenser a propellant-free foamable aqueous composition as described above.

According to the present invention, the stable foam of the present invention is produced using a

25 propellantless mechanical pump. Such a pump precisely mixes water and air upon actuation to produce foam.

While it may be possible to use a conventional mechanical foam dispenser, such as a squeeze foamer, best results have been achieved with a mousse-type foam dispensing finger actuated dispenser.

. . .

Preferably, the foam is produced using the F2 Finger

Pump Foamer™ manufactured by AirSpray International

Inc. of Pompano Beach, Florida. Such a spring-loaded

valve system operates without the use of gas

5 propellants or the like. Upon actuation, precise

amounts of air and liquid are mixed, and a foam capable

of maintaining its structure for a substantial length

of time is dispensed. In addition, the dispenser can

deliver a variable amount of foam, thereby reducing

10 waste of the wipe agent contained therein.

The F2 Finger Pump Foamer™ is similar in design and operation to conventional propellantless finger actuated mechanical pump foamers, such as those

15 described in U.S. Patent No 5,443,569, issued on August 22, 1995, and U.S. Patent No. 5,813,576, issued September 29, 1998, the disclosures of which are incorporated by reference herein. Such propellantless finger actuated mechanical foamers can be employed to dispense the stable foam of the present invention.

A schematic diagram of the F2 Finger Pump FoamerTM is provided in Figure 1 in which a dip tube 10 receives the foamable aqueous composition contained in a container body (not shown). A pump head 12 moves up and down to dispense the foam. An air piston 14 and liquid piston 16 are concentrically arranged and are urged upwardly by spring 18. A gasket seal 20, air cylinder 22, liquid cylinder 24, ball 26, plug 28, inner rod 30, valve are arranged as shown in Figure 1 and operate generally in accordance with the corresponding elements of Figure 1 of U.S. Patent No.

- 11 -

5,443,589, incorporated by reference, and especially described in columns 12-14, thereof. In general, as the air piston and liquid piston are moved down upon actuation, the air and liquid-containing chambers are pressurized. Pressurized foamable liquid in the liquid chamber and pressurized air are mixed to produce the foam, which is homogenized into a finer foam by mesh and net members 34 after which the foam is dispensed from the nozzle tip. A basecap 36 is attached to the external cylinder just below the nozzle and an overcap 38 protects the nozzle.

The F2 Finger Pump Foamer™ is an easy-to-use dispenser, with excellent performance, and provides clean, single stroke action, zero-VOC formulations and high foam quality. Shaking the container will not affect foam quality. Precise dosage per stroke is possible, and the container is refillable.

20 A Symbio Dual Chambered Dispenser™ may also be utilized ~ as the propellantless dispenser.

The aerosol type foam dispenser which employs gas propellant is inconvenient to use and produces an unsatisfactory foam compared to that produced by the present invention. Further, once the propellant volatilizes, the foam produced using an aerosol type foam dispenser collapses.

30 A further embodiment of the present invention is directed to a foam wipe kit. The foam wipe kit comprises (a) a propellantless finger actuated

mechanical pump dispenser containing a propellant-free foamable aqueous composition capable of forming a stable foam on dispensing; and (b) a disposable substrate, such as bathroom tissue, for receiving the stable foam.

The following non-limiting examples further illustrate the present invention.

10 EXAMPLE 1

A foamable aqueous composition and a foam were prepared by combining the ingredients listed in Table 1 according to the below-described method.

15

Table 1.

	Ingredient	Weight %
	polysorbate 20 (100% active)1	1.00
	TEA-cocoyl glutamate (30% active) ²	5.00
5	disodium cocoamphodiacetate (38%	5.00
	active) ³	
	propylene glycol	3.00
	xanthan gum4	0.10
	triclosan	0.25
10	perfume	0.10
	DMDM hydantoin and iodopropynyl	0.25
	butylcarbamate ⁵	·
	deionized water	85.24
	vitamin E acetate (tocopherol	0.05
15	acetate)	
	aloe powder	0.01

sold as Tween 20TM by ICI Surfactants

Triclosan was added to propylene glycol in a small container using a propeller mixer. The mixture was

25 mixed and heated slightly until all solids dissolved.

Xanthan gum was mixed with deionized water in a large container using a propeller mixer. Aloe powder was added to the aqueous composition with mixing.

Polysorbate 20, TEA-cocoyl glutamate, disodium

30 cocoamphodiacetate, vitamin E acetate and DMDM hydantoin and iodopropynyl butylcarbamate were added to

² sold as Amisoft CT-12[™] by Ajinomoto

 $^{^{3}}$ sold as Monateric CDX $^{\text{TM}}$ 38 Mod. by Mona

^{20 4} sold as Xantural 180 m by Monsanto

⁵ sold as Glydant Plus[™] by Lonza

- 14 -

the aqueous mixture with mixing. The contents of both the small and the large container were combined and mixed. Perfume was added to the mixture. A cloudy yellow liquid was obtained.

5

The cloudy yellow liquid was charged to an AirSpray F2
Finger Pump Foamer™ and, upon discharge therefrom,
formed a white stable foam. The foam was relatively
firm and did not wet bathroom tissue when dispensed

10 thereon. When applied to vaginal areas, the foam broke
and was readily applied to the area indicated.
Accordingly, the composition was useful as a vaginal
wipe.

15

EXAMPLE 2

A foamable aqueous composition and a foam were prepared by combining the ingredients listed in Table 2 according to the below-described method.

Table 2.

	ingredient	weight %	
	polysorbate 20 (100% active)1	1.30	
10	TEA-cocoyl glutamate (30% active) ²	5.00	
	disodium cocoamphodiacetate (38%	5.00	
	active) ³		
	glycerine	3.00	
	xanthan gum4	0.10	
15	Polyethylene glycol (23	0.20	
	oxyethylene)		
	pramoxine HCl	1.00	
	phenylephrine HCl	0.25	
	methylparaben	0.25	
20	propylparaben	0.15	
	disodium EDTA	0.10	
	PEG-7 glyceryl cocoate ⁶	0.50	
	water, deionized	83.15	

sold as Tween 20TM by ICI Surfactants

^{25 &}lt;sup>2</sup> sold as Amisoft CT-12[™] by Ajinomoto

³ sold as Monateric CDX 38 Mod.™ by Mona

⁴ sold as Xantural 180™ by Monsanto

⁵ PEG-23M sold as Polyox WSR -12K[™] by Amerchol

⁶ sold as Cetiol HETH by Henkel

- 16 -

PEG-23M and water were mixed until clear. Xanthan gum was added and mixed until a uniform solution was obtained. Disodium EDTA was added and dissolved. In a separate small container, methylparaben, propylparaben, and glycerin were mixed until clear, using low heat to dissolve the parabens. Polysorbate 20, TEA-cocoyl glutamate, disodium cocoamphodiacetate were added to the aqueous mixture and mixed well. The pramoxine HCl and the phenylephrine HCl were added to the aqueous mixture and mixed until clear. The paraben mixture and the PEG-7 glyceryl cocoate were added to the aqueous mixture and mixed well. A liquid was obtained.

The liquid was charged to an AirSpray F2 Finger Pump

15 FoamerTM and, upon discharge therefrom, formed a white stable foam. The foam was relatively firm and did not wet bathroom tissue when dispensed thereon. When applied to anal areas, the foam broke and was readily applied to the area indicated. Accordingly, the

20 composition was useful as a hemorrhoidal wipe. When other compatible surfactants of the invention are substituted for the surfactant blends illustrated in the Examples, similar results are obtained.

25

While the invention has been described in terms of preferred embodiments and specific examples, those skilled in the art will recognize through routine experimentation that various changes and modifications can be made without departing from the spirit and scope of the invention. Thus, the invention should be understood as not being limited by the foregoing

- 17 -

detailed description, but as being defined by the appended claims and their equivalents.

What is claimed is:

- 1. A propellant-free foamable aqueous composition capable of forming a stable foam when dispensed from a propellantless finger actuated mechanical pump dispenser and suitable for use as a vaginal or hemorrhoidal wipe comprising:
 - (a) water;
 - (b) surfactant; and
 - (c) foam stabilizing agent.
- 2. The propellant-free foamable aqueous composition according to claim 1, wherein water is present in an amount from about 70% to about 98% by weight, based on the total weight of the aqueous composition.
- 3. The propellant-free foamable aqueous composition according to claim 2, wherein water is present in an amount from about 80% to about 98% by weight, based on the total weight of the aqueous composition.
- 4. The propellant-free foamable aqueous composition according to claim 3, wherein water is present in an amount of about 90%, based on the total weight of the aqueous composition.
- 5. The propellant-free foamable aqueous composition according to claim 1, wherein the surfactant is selected from the group consisting of nonionic surfactants, amphoteric surfactants, anionic surfactants and mixtures thereof.

PCT/US01/41040

WO 02/00820

6. The propellant-free foamable aqueous composition according to claim 1, wherein the surfactant is present in an amount from about 2% to about 35% by weight, based on the total weight of the aqueous composition.

- 19 -

- 7. The propellant-free foamable aqueous composition according to claim 6, wherein the surfactant is present in an amount from about 5% to about 15% by weight, based on the total weight of the aqueous composition.
- 8. The propellant-free foamable aqueous composition according to claim 5, wherein the surfactant is a combination of polysorbate 20, triethylamine-cocoyl glutamate and disodium cocoamphodiacetate.
- 9. The propellant-free foamable aqueous composition according to claim 8, wherein polysorbate 20 is present in an amount from about 0.1% to about 2%, triethylamine-cocoyl glutamate is present in an amount from about 1% to about 15%, and disodium cocoamphodiacetate is present in an amount from about 1% to about 15% by weight, based on the total weight of the aqueous composition.
- The propellant-free foamable aqueous composition according to claim 9, wherein polysorbate 20 is present in an amount of about 1%, triethylamine-cocoyl glutamate is present in an amount of about 5%, and disodium cocoamphodiacetate is present in an amount of about 5% by weight, based on the total weight of the aqueous composition.

- 11. The propellant-free foamable aqueous composition according to claim 1, wherein the foam stabilizing agent is selected from the group consisting of natural and synthetic gums, polyalkylene glycols, alkylene polyols and combinations thereof.
- 12. The propellant-free foamable aqueous composition according to claim 1, wherein the foam stabilizing agent is present in an amount from about 0.10% to about 5% by weight, based on the total weight of the aqueous composition.
- 13. The propellant-free foamable aqueous composition according to claim 12, wherein the foam stabilizing agent is present in an amount from about 2% to about 4% by weight, based on the total weight of the aqueous composition.
- 14. The propellant-free foamable aqueous composition according to claim 11, wherein the foam stabilizing agent is a combination of glycerine, xanthan gum and polyethylene glycol 23M.
- 15. The propellant-free foamable aqueous composition according to claim 11, wherein alkylene polyols are present in an amount from about 0.1% to about 10%, gums are present in an amount from about 0.05% to about 1%, and polyalkylene glycols are present in an amount from about 0.05% to about 2% by weight, based on the total weight of the aqueous composition.

- 21 -

- 16. The propellant-free foamable aqueous composition according to claim 15, wherein alkylene polyols are present in an amount from about 3% to about 5% and gums are present in an amount of about 0.05% to about 0.15% by weight, based on the total weight of the aqueous composition.
 - 17. The propellant-free foamable aqueous composition according to claim 1 further comprising a preservative.
 - 18. The propellant-free foamable aqueous composition according to claim 17, wherein the preservative is selected from the group consisting of methylparaben, propylparaben, DMDM hydantoin and iodopropynyl butylcarbamate and combinations thereof.
- 19. The propellant-free foamable aqueous composition according to claim 17, wherein the preservative is present in an amount from about 0.10% to about 1% by weight, based on the total weight of the aqueous composition.
- 20. The propellant-free foamable aqueous composition according to claim 19, wherein the preservative is present in an amount from about 0.40% to about 0.60% by weight, based on the total weight of the aqueous composition.
- 21. The propellant-free foamable aqueous composition according to claim 1 further comprising a medicament.

- 22. The propellant-free foamable aqueous composition according to claim 21, wherein the medicament is selected from the group consisting of pramoxine HCl, phenylephrine HCl, ephedrine sulfate, dibucaine HCl and combinations thereof.
- 23. The propellant-free foamable aqueous composition according to claim 1 further comprising a constituent selected from the group consisting of lubricants, chelating agents, moisturizers, healing agents, fragrance, color and mixtures thereof.
- 24. A system for delivering a foam suitable for use as a vaginal or hemorrhoidal wipe agent comprising a propellantless finger actuated mechanical pump dispenser containing a propellant-free foamable aqueous composition.
- 25. A stable foam suitable for use as a vaginal or hemorrhoidal wipe agent formed by dispensing from a propellantless finger actuated mechanical pump dispenser a propellant-free foamable aqueous composition.
- 26. A vaginal or hemorrhoidal wipe product comprising: a stable foam disposed on bathroom tissue, wherein the stable foam is formed by dispensing a propellant-free foamable aqueous composition from a propellantless finger actuated mechanical pump dispenser.

۔ ز


27. A foam wipe kit comprising:

- 23 -

(a) a propellantless finger actuated mechanical pump dispenser containing a propellant-free foamable aqueous composition capable of forming a stable foam on dispensing; and

(b) a disposable substrate for receiving the stable foam.

FIGURE 1



INTERNATIONAL SEARCH REPORT

Inten al Application No PCI/US 01/41040

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 C11D17/04 C11D1/94 C11D3/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data

	ENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Category °	Citation of document, war andication, where appropriate, of the location passage	
χ	US 6 015 763 A (VLASBLOM JACK T)	1-7,
^	18 January 2000 (2000-01-18)	11-13,
		17,23,26
	claims; example 2	
X .	US 5 635 469 A (TANIGUCHI TATSUYA ET AL)	1-7,
•	3 June 1997 (1997-06-03)	11-13, 17-21,
		23-25
	claims	
	to the same of the	1.7
X	WO 91 17237 A (PROCTER & GAMBLE) 14 November 1991 (1991-11-14)	1-7, 11-15,17
	page 13, line 2 -page 14, line 25; claims;	11 10,11
	examples	
	-/	
ı		

Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the International filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'C' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "8" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
18 October 2001	29/10/2001
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel (+31-77) 340-2040, Tx. 31 651 epo nl.	Authorized officer .

INTERNATIONAL SEARCH REPORT

Inten al Application No PCI/US 01/41040

(0 1)	No. 1 POCUMENTS CONCIDENTS TO SE	PC1/US 01/41040
tegory °	tion) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
, X	EP 1 055 425 A (SQUIBB BRISTOL MYERS CO) 29 November 2000 (2000-11-29)	1-3,5-9, 11, 17-19, 23-25
	claims; example 3	
, А	WO 00 66455 A (GUERET JEAN LOUIS H ;OREAL (FR)) 9 November 2000 (2000-11-09) claims	1,17,27
	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 03, 31 March 1999 (1999-03-31) & JP 10 330799 A (LION CORP), 15 December 1998 (1998-12-15) abstract	1-5,17, 24
1		
		·
-		

INTERNATIONAL SEARCH REPORT

rmation on patent family members

Inter al Application No
PCI/US 01/41040

Patent docum cited in search r		Publication date		Patent family member(s)		Publication date
US 601576	3 A	18-01-2000	AU WO	1937299 9941068		30-08-1999 19-08-1999
US 5635469	9 A	03-06-1997	NONE			
WO 911723	7 A	14-11-1991	AU CA CN EP IE MX NZ PT WO	7560091 2078441 1055109 0526473 911000 171703 237584 97187	A1 9 A 3 A1 9 A1 9 B 1 A	27-11-1991 28-10-1991 09-10-1991 10-02-1993 09-10-1991 10-11-1993 27-09-1994 31-12-1991 14-11-1991
EP 1055425	5 A	29-11-2000	BR EP JP	0001919 1055425 2001002562	5 A2	13-03-2001 29-11-2000 09-01-2001
WO 0066455	5 A	09-11-2000	FR EP WO	2793220 1094976 0066455	5 A1	10-11-2000 02-05-2001 09-11-2000
JP 1033079	19 A	15-12-1998	NONE			

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
D BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.